

Product Highlights

Cost-Effective

Eliminate the need for multiple monitors, keyboards, pointing devices, and speakers, saving you both money and space

Extended Functionality

Microprocessor emulation allows users to boot and manage two computer systems simultaneously, providing a seamless experience

Shared Audio

Full stereo audio support allows two systems to share one set of speakers, allowing both computers to take advantage of your best speakers



KVM-222

2-Port USB KVM Switch

Features

Convenience

- Two attached USB and audio cables to connect two PCs
- Remote toggle button
- Hotkey commands

Input

- Two USB ports for a mouse and keyboard
- Microsoft IntelliMouse[®] support

Video

- VGA connector
- Supports multiple monitor resolutions

Audio

- Audio port
- Stereo support

The KVM-222 2-Port USB KVM Switch allows you to control two PCs from a single keyboard, mouse, and VGA monitor console. Audio is also supported, allowing the two connected PCs to share a set of speakers via a standard 3.5 mm stereo jack.

Convenient Access and Control


The KVM-222 is a KVM (Keyboard, Video, and Mouse) switch, allowing you to use a single mouse, keyboard, monitor, and set of speakers to control two PCs, switching between them at will. The handy wired remote control button simplifies the switching process, and you can place the switch in a convenient location to facilitate the switching process. No additional cables or adapters are required, as two sets of cables are directly built into the KVM switch for fast and straightforward installation, so you can get up and running in a snap.

Save Money, Save Space

If you have two computer systems which are often used simultaneously or even intermittently, the KVM-222 helps you save money by eliminating the need for a second keyboard, monitor, and mouse. Free up precious desktop space by using the same console setup to manage both systems. Maximize your screen real estate by connecting a single large monitor, instead of two smaller monitors. The KVM-222 supports VGA, SVGA and multisync monitors at resolutions of up to 2048 x 1536 with refresh rates of up to 72 Hz.

Advanced KVM Functions

The KVM-222 utilizes advanced microprocessor emulation to intelligently manage each KVM port. PCs can be booted-up simultaneously without faults or keyboard errors, giving you a hassle-free experience. Auto scan, audible feedback, and keyboard hotkeys make the KVM-222 simple to use and manage. The KVM switch also has full support for the Microsoft IntelliMouse[®] series.



Technical Specifications

General

| | | |
|---------------------|---|---|
| KVM Connectors | <ul style="list-style-type: none"> • Keyboard: <ul style="list-style-type: none"> • 1 x USB Type A female • Mouse: <ul style="list-style-type: none"> • 1 x USB Type A female • Monitor: <ul style="list-style-type: none"> • 1 x HDB-15 female (blue) | <ul style="list-style-type: none"> • Audio: <ul style="list-style-type: none"> • 1 x 3.5 mm Mini-Phone Stereo Jack female (green) • Remote control: <ul style="list-style-type: none"> • 1 x 2.5 mm 4 Pin Phone Jack female |
| Cable Connectors | <ul style="list-style-type: none"> • PC: <ul style="list-style-type: none"> • USB Type A male • Monitor: <ul style="list-style-type: none"> • HDB -15 male | <ul style="list-style-type: none"> • Audio: <ul style="list-style-type: none"> • 3.5 mm Mini-Phone Stereo Jack male (green) |
| Port Selection | <ul style="list-style-type: none"> • Remote Control Button • Hotkey commands | <ul style="list-style-type: none"> • AP Selection |
| Resolution | <ul style="list-style-type: none"> • 2048 x 1536 (QXGA) | <ul style="list-style-type: none"> • 1920 x 1440 (WUXGA) |
| System Requirements | <ul style="list-style-type: none"> • Windows 2000 / XP / Vista / 7 / 8 • Linux | <ul style="list-style-type: none"> • Mac OS (10.3 and higher) |

Physical

| | |
|-------------------|---|
| KVM Cable Length | <ul style="list-style-type: none"> • 1.8 m |
| Dimensions | <ul style="list-style-type: none"> • 78 x 56 x 21.5 mm (3.07 x 2.20 x 0.85 inches) |
| Weight | <ul style="list-style-type: none"> • 193 grams (6.81 ounces) |
| Operating Voltage | <ul style="list-style-type: none"> • 5 V DC |

KVM-222 2-Port USB KVM Switch

| Order Information | |
|--------------------|-----------------------|
| <i>Part Number</i> | <i>Description</i> |
| KVM-222 | 2-Port USB KVM Switch |

Updated 2014/05/09