



Firmware Version: 1.1.0.11

Published Date: 2021/Aug/20

Content:

Upgrading Instructions: 2
 Upgrading by using Web-UI..... 2

New Features: 2

Changes of MIB & D-View Module: 2

Problems Fixed: 3

Known Issues: 4

Related Documentation: 5

Revision History and System Requirement:

Firmware Version	Date	Model	Hardware Version
1.1.0.11	2021/Aug/20	DNH-100	A1
1.0.0.15	2020/Feb/19	DNH-100	A1


Upgrading Instructions:

D-Link Nuclias Connect Hub supports firmware upgrading via Web-UI. You may download the firmware from D-Link web site <http://tsd.dlink.com.tw>.

Upgrading by using Web-UI

1. Connect a work station to the LAN port of DNH-100.
2. Open the web browser of work station and entering the IP address of the AP. The system default IP address setting is static ip, and you can enter <https://192.168.0.200> to login. Enter administrator's username and password, user name and password is "admin" by default.

To update the AP's firmware, click **System > Settings > Firmware Upgrade**



New Features:

Firmware Version	New Features
1.1.0.11	<ol style="list-style-type: none"> 1. Hotspot 2.0 (This feature is only available for DAP-2662 and DAP-3666) 2. Add 5GHz 2 for Tri-Band AP(DAP-2720) support. 3. In front desk page, can print multiple passcodes on one page 4. Add 11ax selections for 11ax AP model 5. Add WPA3 function (for 11ax AP only)

	<ol style="list-style-type: none"> 6. Add LAN3 item in VLAN settings (For DAP-2622 only) 7. REST API support 8. WIFI4EU support (Europe project only) 9. Support social login (Facebook, google) 10. Support fast roaming(11k/v/r) 11. Support AP firmware online check and download (FOTA) 12. Add Custom view page (Floor plan) 13. Support neighbor AP detection 14. Add walled garden and time control option on each captive portal authentication 15. Support captive portal page editor 16. Add event and alert notification via email 17. Support admin change log 18. Captive/MAC authentication support MSCHAP v2 and secondary radius server 19. Update Terms of use and privacy policy 20. Add LED on/off setting on DNC-100 21. Support Click Through function (captive portal authentication) 22. Add accounting and NAS ID settings on remote radius of captive portal 23. Add help page for Hotspot 2.0 24. Add resource item for online manual 25. 19. Support 2FA on SSO(Single sign on)
1.0.0.15	First release

Changes of MIB & D-View Module:

None

Problems Fixed:

Firmware Version	Problems Fixed
1.1.0.11	<ol style="list-style-type: none"> 1. DBG20010758 Restore Configuration --> The image of Device icon/ Most Active AP still be unchanged. 2. HQ20191227000005 Client Info problem (Client Last Seen info is one day ago & IP field shows 0.0.0.0) 3. VBG20040085 Upload SSL Certificate to different DAPs.

	<p>4. VBG20030605 DAP Syslog do not post to External Syslog Server</p> <p>5. VBG20030570 Cannot login WebGUI and show error page after set system name to '[] { } # % ^ * + = _ \ ~ < > € £ ¥ · · · '</p> <p>6. HQ20200601000003 has bad behavior as FTP client</p> <p>7. HQ20200602000008 won't finish firmware upgrade processing and shows Firmware upgrade is in progress... forever.</p> <p>8. HQ20200527000005 DNH-100 doesn't respond during formatting MicroSD.</p> <p>9. HQ20200515000008 nonsense redirecting</p> <p>10. DBG20040985 It should not get the result for searching the character of the full firmware version after r on Monitor>Access Point page.</p> <p>11. HQ20200710000005 Edit Template is in Chinese language</p> <p>12. VBG20050113 Front Desk User --> Generate Passcode --> Edit Template appear simple Chinese.</p> <p>13. VBG20090091 Unable to clean Monitor Client page.</p> <p>14. VBG20100138 Passcode Authentication fail.</p> <p>15. DBG21060331 Server support Weak Cipher Algorithm in 8443 port. (RC4 & SHA).</p> <p>16. DBG21060368 The warning message of formatting Micro-SD card is incorrect.</p>
1.0.0.15	None

Known Issues:

Firmware Version	Known Issues
1.1.0.11	<p>1. DBG21040748. Configuration-Profile: SSID_User Authentication Type is Passcode. The passcode cannot be typed in some specific browser (IE). And also, the CP page can't pop out in browser (Chrome).The root cause is SSL certificate is self-signed, if using customer online SSL certificate it is no problem.</p> <p>2. VBG21050067. Daylight Saving -- End Time can early than Start Time</p> <p>3. VBG21050388. When device access address is mdns name, the passcode authentication will be failed. . it does not pop up authentication page on Android Chrome browser.</p> <p>4. CLI cannot handle site name or network name with backslash "\".</p> <p>5. DBG21081415 REST API for "ApplyNetworkProfile" not working and will cause GUI can't login.</p>

	<p>6. DBG21081047 When uploaded the file name contains spaces SSL certificate, and will show more than one results on run status even only have one managed AP on UI.</p>
<p>1.0.0.15</p>	<p>1. When SAT connect to DUT, in APP wireless client page will not show client connect info but DNC-100 will show correct info.</p> <p>2.VLAN Settings did not sync from 5G primary Band. (DAP-2610/2660/2680/2682/2695/3662)</p> <p>3.Can't show authentication page automatically when android STA connect to SSID. (DAP-2662/3666)</p> <p>4. DAP-2610_wireless MAC ACL setting to wrong wireless Band. (AP bug)</p> <p>5. DAP-2230_Pass code captive portal not pop up payment gateway pay-pal page. (AP bug)</p> <p>6. The configuration backup file includes AP firmware file and the size will become large and need to wait for download after running AP firmware upgrade.</p>

Related Documentation:

DNH-100_A1_QIG_v1.00

DNH-100_A1_Manual_v1.10(WW)