DSL-G2562DG ADSL/VDSL Setup via Ipad

1) Click on the settings app on your home screen
2) Select Wi-Fi from the list on the left
3) Select D-Link_2.4G from the list on the right
4) When prompted to fill in a password fill in the WPA key from the sticker on the back of your router

5) Select http://10.0.0.2 on the pop up Telkom page

Step 1 of the wizard:

6) Make sure your router is connected as per the Quick Installation Guide (QIG) for DSL service.
7) Select the interface type: ADSL/VDSL
8) Click on [Test] to confirm your connection
9) Click on [Next] to proceed


Step 2 of the wizard:

10) Click on [Test] to confirm your default PPP account
11) Click on [Next] to proceed

Note: If the test fails please contact Telkom support for port recreation/verification

Step 3 of the wizard:

12) Select whether the installation is for a new or existing line
13) Click on the link: http://www.telkom.co.za/verifyadsl for DSL verification

On the Telkom pop up window

14) Continue as instructed on the Telkom Webpage
   If you have <u>not</u> received your PPPoE details,
   ➔ proceed with [Configure your modem with your Telkom Internet account]
   If you <u>have</u> your PPPoE details sent to you via SMS, proceed with http://10.0.0.2
   ➔ Click on [Next] to proceed to Step 4

Step 4 of the wizard:

15) Fill in your PPPoE account details received from Telkom via SMS
16) Click on [Next] to proceed

Note: This should have been sent to you in an SMS and should end with @telkomsa.net

If you do not have these details please contact Telkom support to retrieve your details

Step 5 of the wizard:

17) Click on [Test] to test account
18) Click on the [Next] button to proceed

Note: If the test fails, please make sure the correct details were entered on step 4

Alternatively, contact Telkom Support for a password reset

Step 6 of the wizard:

19) D-Link modem comes set with unique default WIFI password on both the 2.4 & 5 GHz band for security purposes. The default password can be located on the back of the router.
20) You can change the default password for both bands below (minimum of 8 characters)
21) or [skip] to leave as default.
22) Click on [Next] to proceed.

Note: Write down the passwords somewhere safe as you will need them to connect to your Wi-Fi

Step 7 of the wizard:

23) For security purposes, it is strongly advised that you change our default modem login password during the first setup. Default AdminName: admin / AdminPassword: admin
24) Fill in new username & password for logging into your router
25) Click on [Next] to proceed

Step 8 of the wizard (for VPN customers only)

26) If you are subscribed to Telkom VPN Lite's services, enter the details provided below.
    If not, click on [Skip] to proceed

Step 9 of the wizard

27) Here you will be able to see a summary of the wizard setup. Click on [Apply] to complete the setup.
    You will be taken back to modem login page. You can login to the modem with the details set on step 7 of the wizard.

If you changed the WiFi passwords as well as the SSID (WiFi name) on Step 6

28) Click on the settings app on your home screen
29) Select Wi-Fi from the list on the left
30) Select the WiFi name that you set on step 6
31) Fill in the new WiFi Password you set on Step 6 of the setup wizard and connect

If you only changed the WiFi passwords on Step 6 (D-Link-2.4G and D-Link-5G WiFi names still the same)

32) Click on the settings app on your home screen
33) Select Wi-Fi from the list
34) Select D-Link-2.4G and click on it again
35) Select forget this network
36) Select D-Link-2.4G again an now fill in the new WiFi Password you set on Step 6 of the setup wizard
37) The same process applies to D-Link-5G

YOU ARE NOW READY TO SURF THE INTERNET