

[G2562DX How to Configure Samba Storage]

The below steps will guide you to Configure Samba Storage on the router.
(Please ensure you are connected to the router either on Wi-Fi or Ethernet cable)

Please make sure the Samba Service is enabled first!

1. **Open** Control Panel in your PC/Notebook.
2. Click on Programs.
3. Click on **Turn Windows** features on or off link.
4. Expand the **SMB 1.0/CIFS** File Sharing Support option.
5. Tick the **SMB 1.0/CIFS** Client option.
6. Click the OK button.

- 1) Login to the device WEB GUI using 10.0.0.2 and Use Username: admin Password: admin/admin1.

Key http://10.0.0.2/login

Account Login

Login

- 2) Navigate to Applications → USB → Ensure the Storage device shows on the list.

G2562DX

Logout

Home

Quick Setup

Basic Setup

Advanced Setup

Applications

USB

This page displays the connected Udisk information.


Disk Information

DLNA


FTP

Partition	Total Space	Available Space	had Used	Use Per	System Type
disk1_1	29566 MB	29503 MB	63 MB	0.21%	ntfs


- 3) Open the “Run Command” Prompt by pressing the (Windows Key + R) the following will appear:




- 4) Enter the Username + Password of the Router (Admin login details) to grant access to the Files and Folders on the storage device.



5) Once logged in → the shared Files and folders will be accessible as seen below:



- Click on the Public File and you will see all Files and folders on the storage device.



End